

## **METAHEURISTIC-ASSISTED HYBRID DEEP LEARNING FRAMEWORK FOR SKIN CANCER DETECTION, SEGMENTATION, CLASSIFICATION, AND SEVERITY PREDICTION**

Punam R. Patil<sup>1</sup>, Ritu Tandon<sup>2</sup>, Rajesh Kumar Nagar<sup>3</sup>, Bhushan V. Patil<sup>4</sup>

<sup>1</sup> Department of Computer Science & Engineering, SAGE University, Indore, Madhya Pradesh.

<sup>2</sup> Department of Computer Science & Engineering, SAGE University, Indore, Madhya Pradesh.

<sup>3</sup> Department of Electronics & Communication Engineering, SAGE University, Indore, Madhya Pradesh.

<sup>4</sup>Assistant Professor, Department of Electronics & Telecommunication Engineering, R. C. Patel Institute of Technology, Shirpur, Maharashtra.

punam.patil@sageuniversity.in (<https://orcid.org/0000-0001-5021-3547>), ritu.tandon@sageuniversity.in (<https://orcid.org/0000-0001-9248-8397>), errajesh973@gmail.com (<https://orcid.org/0000-0002-7805-4426>), patilbhushan007@gmail.com (<https://orcid.org/0000-0002-3346-2119>)

**Abstract.** Skin cancer constitutes the most prevalent form of carcinoma, posing a significant threat to public health, with melanoma recognized for its particularly high mortality rate. The timely recognition of this pathology is crucial for the enactment of effective treatment modalities; nevertheless, traditional diagnostic techniques often face challenges due to deficiencies in image clarity and the complexities inherent in visual discrimination. This study introduces an advanced deep learning approaches designed to achieve superior segmentation and categorization of cutaneous neoplasms, with a distinct focus on the assessment of severity. Furthermore, the research includes a comprehensive analysis of the severity classifications of the identified cancers. Altogether, the potential of advanced deep learning methodologies to transform the landscape of skin cancer diagnostics is apparent, offering an integrative approach that enhances early detection, improves classification accuracy, and supports severity assessment, ultimately contributing to superior patient management and outcomes.

**Keywords:** Skin Disease Detection; Classification; Preprocessing; Dermoscopic images; Deep Learning.

### **INTRODUCTION**

Cancer represents a significant medical emergency characterized by the unrestrained expansion of atypical cells within the human biological system. Melanoma is the most violent type of skin cancer. The best way of treating the melanoma disease is by detecting it early as it cure easily before spreading to the other parts of body [1] [2]. The dermoscopic image is used for detecting the suspected skin lesions or melanoma due to its non-invasive nature. Several clinical measures like classical pattern analysis, seven-point checklist, and ABCD rules are implemented for the melanoma detection through the dermoscopic images on the basis of local color and texture patterns appearance [3] [4]. Still, the dermatologists struggle in distinguishing various skin lesions types due to the similarities of intrinsic visual among the skin lesion types. Recently, the researchers used the automatic learning system to obtain the equivalent performance to the qualified dermatologists, which specifies the outlook of automatic skin lesion analysis [5][6].

The skin lesion classification is the most complex issue in the recent research accomplishments due to the reasons like (i) The pigment areas of skin lesion images share strong visual similarities in various skin diseases types (ii) different visual patterns are observed in the same skin lesions (iii) more complex skin conditions like inconsistency of the color and the disturbing items including color marks, other artifacts veins, and hairs in the

skin lesion images are also observed [7] [8]. Moreover, the dermatologists need to focus on the details of subtlety from the benign ones for distinguishing the malignant cases; however, the high intra-class variations and large inter-class similarities become difficult [9] [10]. Furthermore, the noisy items are introduced by the existence of difficult skin condition, which affects the texture description and color of the obtained image. This condition depreciates the classification performance [11]. Higher intra-class variations and strong inter-class visual similarity of different skin lesions are observed, which also makes the diagnosis more difficult even for the experienced dermatologists. For improving the recent machine learning (ML) models, many research works are performed to support the skin lesions diagnosis [12] [13]. The Euclidean distances among the intra-class and inter-class samples are given as the extracted features to ResNet.

Several methods are used before the classification task for executing the skin lesion segmentation that provides the ROI region or boundary information for assisting the succeeding classification tasks [14]. Different skin lesion segmentation approaches such as the deep CNN models, active contour models, region-merging based methods and thresholding-based models are used for this purpose. In recent times, the CNN based models attains more attention for the image classification task with superior performance. The neural network is initialized with pretrained weights from the same task for faster training and better performance [15] [16]. Therefore, the existing models used the most perceptive approach and a good starting point, and then it transformed the skin lesion classification task of the NN (neural networks) via fine-tuning parameters. Many techniques such as test augmentation and ensemble are used to boost the simulation outcomes of the skin lesion classification [17]. Thus, the multi-task structure is implemented for the skin lesion analysis that trains both the classification task and the segmentation tasks at the same time.

- **Motivation**

Skin cancer poses a major global health threat, with melanoma being the deadliest type. Early detection is crucial for effective treatment, while late-stage diagnosis drastically reduces survival rates. Although dermatologists use imaging tools for diagnosis, ordinary cameras often yield poor-quality images. Dermoscopy offers clearer visuals, improving lesion detection. Deep learning and convolutional neural networks enhance accuracy in skin cancer segmentation and classification. This study develops an efficient DL framework emphasizing severity analysis in order to get around conventional computational and diagnostic restrictions.

- **Problem Statement:**

Melanoma in particular, which has a high death rate when discovered at an advanced stage, is still a serious global health concern. Conventional diagnostic techniques that use images from a conventional camera sometimes yield poor quality findings, making it difficult to detect and classify problems accurately. Even though dermoscopic imaging enhances vision, differences in lesion size, shape, and texture make segmentation and classification difficult. Current deep learning models lack severity analysis, are computationally costly, and are ineffective in classifying different forms of skin cancer. Therefore, in order to facilitate early identification and enhance patient outcomes, an effective deep learning-based framework is required that can precisely segment, categorize, and analyze the severity of skin cancer.

- **Objectives:**

The primary objectives of this research are as follows:

1. To develop an enhanced feature extraction module for skin cancer classification by employing a Two-phase Self-Attention based Hierarchical Capsule Network (TSHCaps) that effectively captures spatial and contextual relationships within dermoscopic images.
2. To integrate the Tent Chaotic Walrus Optimization Algorithm (TCWOA) into the detection framework to achieve optimal feature selection, reduce computational complexity, and enhance classification efficiency.
3. To design an efficient skin cancer segmentation approach using a Progressive Attention-based Hierarchical Residual Swin Transformer (PA-HRST) that accurately delineates lesion boundaries across multiple scales.
4. To propose a Global Attention-based Multilevel Semantic Knowledge Alignment Distillation Network (GA-MSKAD) for precise and robust skin cancer classification through effective feature alignment and semantic knowledge transfer.
5. To introduce a Residual Lasso Logistic Regression (RLLR) model for predicting the severity level of skin cancer based on extracted deep features and optimized parameters.

## LITERATURE REVIEW

Survey of various related techniques over skin cancer segmentation and classification are described below.

A study [18] implemented a shape-based segmentation approach in order to precisely locate skin lesions using a combination of Active Contour Segmentation, ResNet50, Capsule Network, and SGD efficiency. The representation demonstrated high performance with 98% accuracy and an AUC-ROC of 97.3%, proving its robustness in feature extraction and lesion boundary detection. In [19] study proposed a FrCN-DGCA model employing a Dynamic Graph Cut Algorithm along with transferring models and FrCN architecture for skin lesion segmentation. The system achieved 97.986% accuracy and 94.335% precision, indicating effective pixel-level segmentation and classification capability. In [20], a GHO-DCaNN model integrating GHO-Capsule Neural Network, SSFO, and a Hybrid GHO optimizer was designed to enhance skin cancer detection with 99.06% accuracy, 97.83% specificity, and 99.50% sensitivity, signifying superior detection precision.

A hybrid framework [21] integrating GNN with a Capsule Network and Tiny Pyramid ViG was developed to enhance skin cancer classification. This architecture achieved 95.52% accuracy after 75 epochs of training, confirming the effectiveness of mixing graph-based and capsule-based representations. An optimized Convolutional Neural Network (CNN) approach [22] was applied for early detection of dermal lesions using the DICE metric achieved 98.66% accuracy, indicating its capability for early-stage lesion identification. In [23], a Coot Search Optimization Algorithm was applied utilizing a Capsule Network to enhance the process of segmentation. The proposed method attained an impressive 99.26% accuracy, highlighting its superior segmentation efficiency. A fuzzy-GLCM-based technique [24] employing CapsNet, dynamic routine mechanisms, and F-CapsNet architecture was developed to reduce contrast distortions in dermoscopic images. This model achieved 99.16% accuracy on the 2017 ISBI dataset, 99.45% on the 2019 ISBI dataset, and 98.42% on the PH2 dataset, showcasing exceptional consistency.

The MICaps model [25], developed using UNet and Capsule Network, was designed for recognizing multiple object instances. It improved diagnostic performance by up to 3.27%, indicating effective multi-object feature recognition. A CBAM-integrated FixCaps model [26] was employed to minimize spatial information loss. FixCaps, CBAM, and Capsule Network combined achieved 96.49% accuracy, confirming improved spatial feature retention. The study [27] that utilized Convolutional Blocks with Capsule Networks addressed complex lesion classification challenges, achieving 98.93% accuracy, 98.52% specificity, 95.7% recall, and 98.87% F1 score, demonstrating well-rounded and sturdy performance.

A CNN-CapsNet hybrid approach [28] was implemented for recognizing cuticle integuments, attaining 98.9% accuracy, emphasizing its reliability. In [29] developed an AI-based diagnostic system using five transfer learning models, optimization techniques, and Inception-ResNet architecture for detecting Monkeypox virus. In [30] study incorporated Metaheuristic Optimizers with various AI-based classifiers for skin disease diagnosis, reaching 87.30% accuracy, signifying potential for future optimization-based frameworks. A study [31] employed image processing techniques and dermatological screening using Support Vector Machines (SVM), achieving 90.8% accuracy for effective skin disease detection. The incorporation of ICSO, Derm-CDSM, and MSSO methods [32] formed a deep learning hybrid method that showed excellent accuracy in skin cancer classification and segmentation.

A CNN-based approach [33] was used for image feature extraction and classification, incorporating machine learning and Softmax algorithms, yielding high accuracy and strong feature discrimination capabilities. Study [34] focused on deep learning (DL) with a robust dataset for skin disease detection, to achieve an optimal model performance with high accuracy. In [35], a hybrid model combining Deep Neural Network (DNN) and Random Forest (RF) was developed to enhance performance, achieving 96.8% accuracy. A mobile-based study [36] implemented MobileNet and CNN to design an AI-powered mobile application for epidermal disease detection, achieving approximately 85% accuracy, suitable for real-time screening. The transfer learning-based research [37] utilized the Xception model with fully connected (FC) layers, achieving 96.40% accuracy, highlighting superior classification efficiency. Another CNN-based vision model [38] using the DermNet dataset achieved 98.6%–99.04% accuracy.

In [39], a ViT-Vision Transformer model was employed for skin disease detection and classification, achieving 81.6% accuracy, showing potential for transformer-based analysis. A CNN model [40] incorporating Computer-Aided Diagnosis (CAD) techniques achieved approximately 90% accuracy, enabling improved lesion segmentation and classification. The CNN fusion model [41] used for classification, achieving 95.29% accuracy and F1 score 89.99%, as effectiveness in multi-model integration. A Swin Transformer and CNN-based hybrid approach [42] achieved 97.2% accuracy and 97.9% specificity, confirming its high reliability for skin lesion classification. Using the HAM10000 dataset, a binary-class CNN model [43] classified seven types of skin cancer, attaining 95.2% accuracy, emphasizing strong dataset adaptability.

In [44], a six-step deep learning (DL) process was implemented for feature extraction and classification, though it resulted in low accuracy. The MobileNet-v2-based automated system [45] achieved 97.5% multiclass classification accuracy, proving its strength in diagnosing epidermal diseases. To analyze and extract features, a Deep Convolutional Neural Network (DCNN) [46] was created, achieving high accuracy in skin disease detection. Lastly, the study [47] integrating DCNN with Biogeography-Based Optimization Algorithm (BBOA)


achieved up to 98% accuracy, exhibiting outstanding automation and optimization in the classification of skin diseases.

## Research Gaps

1. **Computer Resource Requirements:** Although the frameworks put out by Behara et al. [18] and Adla et al. [19] achieve high levels of accuracy, they require a significant amount of computer power, which may not be feasible in settings with constrained resources.
2. **Model Interpretability and Transparency:** Despite achieving high performance levels, models like the one shown by Dubey et al. [20] usually function as "black boxes," making it challenging for physicians to have faith in and use these technologies efficiently.
3. **Class Imbalance in Datasets:** A number of studies, such as those by Anand et al. [37] and Shanthi et al. [38], run into issues with class imbalance in datasets, which can skew model performance and reduce its generalization ability.
4. **Image Quality and Pre-Processing Dependency:** Yanagisawa et al. [40] and Wei et al. [41] devised methodologies that highlight the vital need of accurate segmentation and efficient feature extraction.
5. **Integration of Multimodal Data:** As demonstrated by the research of Muhaba et al. [45], there is an urgent need for more thorough studies that integrate multimodal data, including clinical metadata and patient history.

## PROPOSED METHODOLOGY

The well-designed deep learning (DL) methods introduced in this research are specifically for successful skin cancer classification and segmentation. Figure 1 shows the architectural structure of the proposed framework. For improving feature precision, pre-processing was applied to the input dermoscopic images initially for noise elimination using an Enhanced Low Pass Wiener Filter (ELPWF), which effectively removes unwanted noise while maintaining vital image details. After denoising, the pre-processed data were examined, and discriminative features were extracted based on the Two-phase Self-Attention based Hierarchical Capsule Network (TSHCaps). It effectively preserves complex spatial relationships and hidden features while concentrating on the most important regions of the image with self-attention mechanisms.



**Figure 1.** Architectural View of the Proposed Work

The Tent Chaotic Walrus Optimization Algorithm (TCWOA) was then utilized for optimal feature selection so that efficient computation is achieved by removing unnecessary computations and keeping the most instructive attributes. The resulting features were then subjected to the Progressive Attention-based Hierarchical Residual Swin Transformer (PA-HRST), which processes local and global contextual information by utilizing its

hierarchical structure. So that the decision-making interpretability and transparency are enhanced. Finally, the Global Attention-based Multilevel Semantic Knowledge Alignment Distillation Network (GA-MSKAD) was used to enhance classification accuracy via multilevel semantic alignment and knowledge distillation. Subsequent to classification, the Residual Lasso Logistic Regression (RLLR) model was used to forecast the severity level of the identified cancer, utilizing different clinical and image-related severity measures to supply a complete diagnostic assessment.

## RESULTS & DISCUSSION

This study were tested on skin disease dataset HAM10000 using the proposed strategy against existing hybrid classifier models such as ResNet-RNN [48], ResNet-VGG [49], EfficientNet-BiLSTM [50], CNN-Transformer [51], Swin Transformer-CNN [52] to determine how much it improved performance.

### 4.1 Dataset Description:

The dataset comprises dermatoscopic images from diverse populations, gathered and stored using various modalities. The standard skin lesion dataset HAM10000 contains 10,015 skin lesion imaging from different populations organized into seven primary kinds [53].

### 4.2 Classification Analysis

The CNN model's performance on a dataset encompassing 300 epochs, along with the accuracy and loss analysis conducted for the proposed CNN model, yielded the findings depicted in below Table I.


TABLE I. Result and Performance of own CNN Model

Parameters	Proposed Own CNN model
Training Accuracy	99.55
Training Loss	0.015
Testing Accuracy	99.18
Testing Loss	0.1114
Training Time	1.1092
Testing Time	0.8144
Epoch	300

As shown in the below Table II, the proposed hybrid model outperforms all comparative approaches across all performance metrics. While traditional combinations such as ResNet-RNN and ResNet-VGG achieve accuracies of 95.76% and 94.73% respectively, the proposed model achieves 99.18% accuracy, 99.03% specificity, 99.13% recall, 99.09% precision, and an F1-score of 99.11%, demonstrating its superior capability in skin cancer classification. The results highlight the effectiveness of integrating hierarchical attention mechanisms, capsule-based feature extraction, and metaheuristic optimization in enhancing overall model performance.

TABLE II. Performance Comparison of Classification Methods with the Proposed Model


Models	Accuracy	Specificity	Recall	Precision	F1-score
ResNet-RNN	0.9576	0.9501	0.9513	0.9479	0.9496
ResNet-VGG	0.9473	0.9447	0.9465	0.9439	0.9452
EfficientNet-BiLSTM	0.9306	0.9253	0.927	0.9247	0.9259
CNN-Transformer	0.9147	0.9116	0.9117	0.9093	0.9105
Swin Transformer-CNN	0.9004	0.8992	0.9013	0.8983	0.8998
<b>Proposed Model</b>	<b>0.9918</b>	<b>0.9903</b>	<b>0.9913</b>	<b>0.9909</b>	<b>0.9911</b>



**Figure 2.** Performance Comparison of Proposed Model with Baseline Methods

### Severity analysis

The Figure 3 depicts severity analysis of the proposed RLLM model. The proposed model uses a Residual LASSO with logistic regression to standardize the regression process by finding slightly significant features. Here, the residual LASSO model identifies the most relevant features uniform in noisy information, and the LR model predicts the severity of cancer.



**Figure 3.** Severity analysis of proposed model [53]

The proposed model achieved very low error values an MAE of 0.08, an MSE of 0.08, and an RMSE of 0.282, indicating high accuracy and reliability in severity analysis of skin diseases with minimal prediction deviations. Use “Tables caption” style for table caption and “Table body” style for text inside the table. Tables must be in editable format. Avoid using pictures.

## CONCLUSIONS

Large volumes of medical data can be analysed and useful information can be extracted using deep learning. This study is to analyse a number of research publications concerning various approaches that have been applied based on skin lesions, with a particular focus on how different researchers performed the first automatic diagnosis of skin cancer. In order to increase the survival rate, we want to develop an efficient deep learning technique for the best skin cancer segmentation and classification, with a focus on severity analysis. This study used the HAM10000 database to make an early diagnosis of skin cancer. By enabling early detection of skin cancer and boosting the precision and effectiveness of skin cancer diagnosis through the use of CNN and other DL techniques, the goal is to enhance patient outcomes. Through a variety of metrics, including classification

accuracy, sensitivity, precision, recall, and so on, the selected technique will be compared to other hybrid conventional models in order to undertake a performance study. The suggested framework performs better than current approaches and accurately classifies dermatological malignancies associated with skin cancer.

## ACKNOWLEDGEMENTS

The authors would like to acknowledge the department of Computer Science & Engineering at SAGE University, Indore, M.P., for providing research facilities and technical assistance.

## CONFLICT OF INTEREST

The authors declare no conflict of interest.

## AUTHOR CONTRIBUTION

**Punam R. Patil:** Writing – original draft, Formal analysis, Conceptualization, Methodology, Validation, Software, resources, data curation. **Ritu Tandon:** Writing – review and editing, supervision, Formal analysis, Conceptualization. All authors contributed to the article and approved the submitted version.

## REFERENCES

1. Moradi, N., & Mahdavi-Amiri, N. (2019). Kernel sparse representation based model for skin lesions segmentation and classification. *Computer Methods and Programs in Biomedicine*, 182, 105038. <https://doi.org/10.1016/j.cmpb.2019.105038>
2. Wahba, M. A., Ashour, A. S., & Abd Elnaby, M. M. (2018). A novel cumulative level difference mean based GLDM and modified ABCD features ranked using eigenvector centrality approach for four skin lesion types classification. *Computer Methods and Programs in Biomedicine*, 165, 163–174. <https://doi.org/10.1016/j.cmpb.2018.08.017>
3. Pereira, P. M. M., Fonseca-Pinto, R., & Faria, S. M. M. (2020). Skin lesion classification enhancement using border-line features – The melanoma vs nevus problem. *Biomedical Signal Processing and Control*, 57, 101765. <https://doi.org/10.1016/j.bspc.2019.101765>
4. Chatterjee, S., Dey, D., & Gorai, S. (2019). Extraction of features from cross correlation in space and frequency domains for classification of skin lesions. *Biomedical Signal Processing and Control*, 53, 101581. <https://doi.org/10.1016/j.bspc.2019.101581>
5. Mahbod, A., Schaefer, G., & Wang, C. (2019). Fusing fine-tuned deep features for skin lesion classification. *Computerized Medical Imaging and Graphics*, 71, 19–29. <https://doi.org/10.1016/j.compmedimag.2018.11.002>
6. Chatterjee, S., Dey, D., & Munshi, S. (2019). Integration of morphological preprocessing and fractal based feature extraction with recursive feature elimination for skin lesion types classification. *Computer Methods and Programs in Biomedicine*, 178, 201–218. <https://doi.org/10.1016/j.cmpb.2019.06.017>
7. Serte, S., & Demirel, H. (2019). Gabor wavelet-based deep learning for skin lesion classification. *Computers in Biology and Medicine*, 113, 103423. <https://doi.org/10.1016/j.compbiomed.2019.103423>
8. Harangi, B. (2018). Skin lesion classification with ensembles of deep convolutional neural networks. *Journal of Biomedical Informatics*, 86, 25–32. <https://doi.org/10.1016/j.jbi.2018.08.006>
9. Rebouças Filho, P. P., Peixoto, S. A., & de Albuquerque, V. H. C. (2018). Automatic histologically-closer classification of skin lesions. *Computerized Medical Imaging and Graphics*, 68, 40–54. <https://doi.org/10.1016/j.compmedimag.2018.06.001>
10. Albahar, M. A. (2019). Skin lesion classification using convolutional neural network with novel regularizer. *IEEE Access*, 7, 38306–38313. <https://doi.org/10.1109/ACCESS.2019.2906241>
11. Riaz, F., Naeem, S., Nawaz, R., & Coimbra, M. (2019). Active contours based segmentation and lesion periphery analysis for characterization of skin lesions in dermoscopy images. *IEEE Journal of Biomedical and Health Informatics*, 23(2), 489–500. <https://doi.org/10.1109/JBHI.2018.2832455>
12. Kassem, M. A., Hosny, K. M., & Fouad, M. M. (2020). Skin lesions classification into eight classes for ISIC 2019 using deep convolutional neural network and transfer learning. *IEEE Access*, 8, 114822–114832. <https://doi.org/10.1109/ACCESS.2020.3003890>
13. Fan, X., et al. (2020). Effect of image noise on the classification of skin lesions using deep convolutional neural networks. *Tsinghua Science and Technology*, 25(3), 425–434. <https://doi.org/10.26599/TST.2019.9010029>

14. Melbin, K., & Raj, Y. J. V. (2020). Integration of modified ABCD features and support vector machine for skin lesion types classification. *Multimedia Tools and Applications*. <https://doi.org/10.1007/s11042-020-10056-8>
15. Dhivyaa, C. R., Sangeetha, K., & Balamurugan, M. (2020). Skin lesion classification using decision trees and random forest algorithms. *Journal of Ambient Intelligence and Humanized Computing*. <https://doi.org/10.1007/s12652-020-02675-8>
16. Sikkandar, Y. M., Alrasheadi, B. A., & Prakash, N. B. (2020). Deep learning based an automated skin lesion segmentation and intelligent classification model. *Journal of Ambient Intelligence and Humanized Computing*. <https://doi.org/10.1007/s12652-020-02537-3>
17. Qin, Z., & Liu, Z. (2020). A GAN-based image synthesis method for skin lesion classification. *Computer Methods and Programs in Biomedicine*, 195, 105568. <https://doi.org/10.1016/j.cmpb.2020.105568>
18. Behara, K., Bhero, E., & Agee, J. T. (2024). An improved skin lesion classification using a hybrid approach with active contour snake model and lightweight attention-guided capsule networks. *Diagnostics*, 14(6), 636. <https://doi.org/10.3390/diagnostics14060636>
19. Adla, D., Reddy, G. V. R., Nayak, P., & Karuna, G. (2023). A full-resolution convolutional network with a dynamic graph cut algorithm for skin cancer classification and detection. *Healthcare Analytics*, 3, 100154. <https://doi.org/10.1016/j.health.2023.100154>
20. Dubey, V. K., & Kaushik, V. D. (2024). Epidermis lesion detection via optimized distributed capsule neural network. *Computers in Biology and Medicine*, 168, 107833. <https://doi.org/10.1016/j.compbiomed.2024.107833>
21. Santoso, K. P., Ginardi, R. V. H., Sastrowardoyo, R. A., & Madany, F. A. (2024). Leveraging spatial and semantic feature extraction for skin cancer diagnosis with capsule networks and graph neural networks. *arXiv preprint arXiv:2403.12009*.
22. Salih, O., & Duffy, K. J. (2023). Optimization convolutional neural network for automatic skin lesion diagnosis using a genetic algorithm. *Applied Sciences*, 13(5), 3248. <https://doi.org/10.3390/app13053248>
23. Sivasangeetha, A., Nallasivan, G., & Vargheese, M. (2023). Skin cancer diagnosis using improved capsules network. *DRRJ Journal*, 13(5).
24. Ali, R., Manikandan, A., & Xu, J. (2023). A novel framework of adaptive fuzzy-GLCM segmentation and fuzzy with capsules network (F-CapsNet) classification. *Neural Computing and Applications*, 35(30), 22133–22149. <https://doi.org/10.1007/s00521-023-08274-8>
25. Pal, A., Chaturvedi, A., Chandra, A., Chatterjee, R., Senapati, S., Frangi, A. F., & Garain, U. (2022). MICaps: Multi-instance capsule network for machine inspection of Munro's microabscess. *Computers in Biology and Medicine*, 140, 105071. <https://doi.org/10.1016/j.compbiomed.2021.105071>
26. Lan, Z., Cai, S., He, X., & Wen, X. (2022). FixCaps: An improved capsules network for diagnosis of skin cancer. *IEEE Access*, 10, 76261–76267. <https://doi.org/10.1109/ACCESS.2022.3185023>
27. Aggrey, E. S. E. B., Zhen, Q., Kodjiku, S. L., Asamoah, K. O., Barnes, O., Fiasam, L. D., Aidoo, E., & Aggrey, H. (2022). Detection of melanoma skin cancer using capsule network and multi-task learning framework. In *2022 19th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP)* (pp. 1–5). IEEE.
28. Tiwari, S. (2021). Dermatoscopy using multi-layer perceptron, convolution neural network, and capsule network to differentiate malignant melanoma from benign nevus. *International Journal of Healthcare Information Systems and Informatics*, 16(3), 58–73.
29. Khan, G. Z., & Ullah, I. (2023). Efficient technique for monkeypox skin disease classification with clinical data using pre-trained models. *Journal of Innovative Image Processing*, 5(2), 192–213.
30. Singh, J., Sandhu, J. K., & Kumar, Y. (2024). An analysis of detection and diagnosis of different classes of skin diseases using artificial intelligence-based learning approaches with hyper parameters. *Archives of Computational Methods in Engineering*, 31(2), 1051–1078. <https://doi.org/10.1007/s11831-023-10000-7>
31. Sany, N. H., & Shill, P. C. (2024). Image segmentation-based approach for skin disease detection and classification using machine learning algorithms. In *2024 International Conference on Integrated Circuits and Communication Systems (ICICACS)* (pp. 1–5). IEEE.
32. Mittal, R., Jeribi, F., Martin, R. J., Malik, V., Menachery, S. J., & Singh, J. (2024). DermCDSM: Clinical decision support model for dermatosis using systematic approaches of machine learning and deep learning. *IEEE Access*.
33. Inthiyaz, S., Altahan, B. R., Ahammad, S. H., Rajesh, V., Kalangi, R. R., Smirani, L. K., Hossain, M. A., & Rashed, A. N. Z. (2023). Skin disease detection using deep learning. *Advances in Engineering Software*, 175, 103361. <https://doi.org/10.1016/j.advengsoft.2023.103361>
34. Vayadande, K., Lohade, O., Umbare, S., Pise, P., Matre, A., Mule, M., Mahajan, I., et al. (2024). Automated multiclass skin disease diagnosis using deep learning. *International Journal of Intelligent Systems and Applications in Engineering*, 12(11s), 327–336.

35. Hamida, S., Lamrani, D., El Gannour, O., Saleh, S., & Cherradi, B. (2024). Toward enhanced skin disease classification using a hybrid RF-DNN system leveraging data balancing and augmentation techniques. *Bulletin of Electrical Engineering and Informatics*, 13(1), 538–547.
36. Maduranga, M. W. P., & Nandasena, D. (2022). Mobile-based skin disease diagnosis system using convolutional neural networks (CNN). *IJ Image Graphics Signal Process*, 3, 47–57.
37. Anand, V., Gupta, S., Koundal, D., Nayak, S. R., Nayak, J., & Vimal, S. (2022). Multi-class skin disease classification using transfer learning model. *International Journal on Artificial Intelligence Tools*, 31(02), 2250029.
38. Shanthi, T., Sabeenian, R. S., & Anand, R. (2020). Automatic diagnosis of skin diseases using convolution neural network. *Microprocessors and Microsystems*, 76, 103074. <https://doi.org/10.1016/j.micpro.2020.103074>
39. Cai, G., Zhu, Y., Wu, Y., Jiang, X., Ye, J., & Yang, D. (2023). A multimodal transformer to fuse images and metadata for skin disease classification. *The Visual Computer*, 39(7), 2781–2793. <https://doi.org/10.1007/s00371-023-02826-9>
40. Yanagisawa, Y., Shido, K., Kojima, K., & Yamasaki, K. (2023). Convolutional neural network-based skin image segmentation model to improve classification of skin diseases in conventional and non-standardized picture images. *Journal of Dermatological Science*, 109(1), 30–36. <https://doi.org/10.1016/j.jdermsci.2022.10.009>
41. Wei, M., Wu, Q., Ji, H., Wang, J., Lyu, T., Liu, J., & Zhao, L. (2023). A skin disease classification model based on DenseNet and ConvNeXt fusion. *Electronics*, 12(2), 438. <https://doi.org/10.3390/electronics12020438>
42. Ayas, S. (2023). Multiclass skin lesion classification in dermoscopic images using Swin Transformer model. *Neural Computing and Applications*, 35(9), 6713–6722. <https://doi.org/10.1007/s00521-023-07927-y>
43. Hameed, A., Umer, M., Hafeez, U., Mustafa, H., Sohaib, A., Siddique, M. A., & Madni, H. A. (2023). Skin lesion classification in dermoscopic images using stacked convolutional neural network. *Journal of Ambient Intelligence and Humanized Computing*, 14(4), 3551–3565.
44. Narayan, V., Awasthi, S., Fatima, N., Faiz, M., Bordoloi, D., Sandhu, R., & Srivastava, S. (2023). Severity of lumpy disease detection based on deep learning technique. In *2023 International Conference on Disruptive Technologies (ICDT)* (pp. 507–512). IEEE.
45. Muhaba, K. A., Dese, K., Aga, T. M., Zewdu, F. T., & Simegn, G. L. (2022). Automatic skin disease diagnosis using deep learning from clinical image and patient information. *Skin Health and Disease*, 2(1), e81. <https://doi.org/10.1002/ski2.81>
46. Gautam, V., Trivedi, N. K., Anand, A., Tiwari, R., Zaguia, A., Koundal, D., & Jain, S. (2023). Early skin disease identification using deep neural network. *Computer Systems Science & Engineering*, 44(3), 2259–2275.
47. Rao, G. M., Ramesh, D., Gantela, P., & Srinivas, K. (2023). A hybrid deep learning strategy for image-based automated prognosis of skin disease. *Soft Computing*. <https://doi.org/10.1007/s00500-023-09012-3>
48. Zareen, S. S., Sun, G., Kundi, M., Qadri, S. F., & Qadri, S. (2024). Enhancing skin cancer diagnosis with deep learning: A hybrid CNN-RNN approach. *Computers, Materials & Continua*, 79(1). <https://doi.org/10.32604/cmc.2024.047418>
49. Tabrizchi, H., Parvizpour, S., & Razmara, J. (2023). An improved VGG model for skin cancer detection. *Neural Processing Letters*, 55(4), 3715–3732. <https://doi.org/10.1007/s11063-022-10927-1>
50. Venugopal, V., Raj, N. I., Nath, M. K., & Stephen, N. (2023). A deep neural network using modified EfficientNet for skin cancer detection in dermoscopic images. *Decision Analytics Journal*, 8, 100278. <https://doi.org/10.1016/j.dajour.2023.100278>
51. Pacal, I., Ozdemir, B., Zeynalov, J., Gasimov, H., & Pacal, N. (2025). A novel CNN-ViT-based deep learning model for early skin cancer diagnosis. *Biomedical Signal Processing and Control*, 104, 107627. <https://doi.org/10.1016/j.bspc.2025.107627>
52. Pacal, I., Alaftekin, M., & Zengul, F. D. (2024). Enhancing skin cancer diagnosis using Swin Transformer with hybrid shifted window-based multi-head self-attention and SwiGLU-based MLP. *Journal of Imaging Informatics in Medicine*, 37, 3174–3192. <https://doi.org/10.1007/s10278-024-01140-8>
53. Patil, P. R., & Tandon, R. (2025). An accurate multiclass skin lesions classification of benign and malignant using deep learning and dermoscopic analysis. *Journal of Innovative Image Processing*, 7(3), 951–975. <https://doi.org/10.36548/jiip.2025.3.019>
54. <https://www.kaggle.com/datasets/surajghuwalewala/ham1000-segmentation-and-classification>